ReLeaf Brands - Medmar Tanque Verde LLC #00000081DCPK00962019 #00000039ESEZ33667642 Soil, Sun, Love - Cactus Bloom Facilities Management LLC #00000144ESQK21738687

Batch#: Red RTZ 146C

Ingredients: 100% Cannabis Extract.

Cultivated by Medmar Tanque Verde LLC #00000081DCPK00962019 Infused or prepared for sale by Medmar Tanque Verde LLC #00000081DCPK00962019 Tested at: Level One Labs Distributed to Desert Bloom ReLeaf Center #00000081DCPK00962019 #00000039ESEZ33667642, ReLeaf 85624 #00000144ESQK21738687.

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. <u>Marijuana use may affect the health of a pregnant woman and the unborn child.</u> KEEP OUT OF REACH OF CHILDREN.

Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.



Powered by Confident LIMS 1 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #0000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624



79.07% Total THC	<loq Total CBD</loq 	90.16%
58.02 mg/g Total Terpenes	Not Tested NT Moisture	Total Cannabinoids

Cannabinoids

Complete

masmolas				
Analyte	LOQ	Mass	Mass	Qualifier
	%	%	mg/g	
THCa	3.303	90.162	901.62	
∆9-THC	3.303	<loq< td=""><td><loq< td=""><td>M4</td></loq<></td></loq<>	<loq< td=""><td>M4</td></loq<>	M4
Δ8-THC	3.303	ND	ND	Q3
THCVa	3.303	NR	NR	Q3
THCV	3.303	ND	ND	Q3
CBDa	3.303	ND	ND	
CBD	3.303	<loq< th=""><th><loq< th=""><th>M4</th></loq<></th></loq<>	<loq< th=""><th>M4</th></loq<>	M4
CBDVa	3.303	NR	NR	Q3
CBDV	3.303	NR	NR	Q3
CBN	3.303	ND	ND	M4
CBGa	3.303	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
CBG	3.303	ND	ND	Q3
CBCa	5.415	NR	NR	Q3
CBC	3.303	NR	NR	Q3
Total		90.162	901.62	Q3

Qualifiers: Date Tested: 04/13/2023 07:00 am

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

he reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the aboratory. Cannabinoid potency performed by HPLC-DAD per SOP-LM-005. ADHS approved method for potency by HPLC-DAD for all listed analytes.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

Confident LIMS All Rights Reserved coa.support@confidentlims.com



Lic#0000004LCIG00024823

Matthew Schuberth Laboratory Manager

(866) 506-5866





Powered by Confident LIMS 2 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #00000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.


Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624

Terpenes

Analyte	LOQ	Mass	MassC	ualifier)	Analyte	LOQ	Mass	MassC	Qualifier
	mg/g	mg/g	%			mg/g	mg/g	%	
δ-Limonene	0.41	20.53	2.053	Q3	cis-Nerolidol	0.41	ND	ND	Q3
β-Caryophyllene	0.41	8.41	0.841	Q3	Citronellol	2.07	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
Linalool	0.41	5.96	0 <mark>.596</mark>	Q3	Eucalyptol	0.21	ND	ND	Q3
Fenchol	0.21	5.12	0.512	Q3	Fenchone	0.41	<loq< td=""><td><loq< td=""><td>Q3</td></loq<></td></loq<>	<loq< td=""><td>Q3</td></loq<>	Q3
α-Terpineol	0.34	3.53	0.3 <mark>53</mark>	Q3	y-Terpinene	0.21	ND	ND	Q3
α-Pinene	0.21	3.22	0.322	Q3	y-Terpineol	0.04	ND	ND	Q3
β-Myrcene	0.21	2.91	0.291	Q3	Geraniol	4.14	ND	ND	Q3
α-Humulene	0.21	2.80	0.280	Q3	Geranyl Ace <mark>t</mark> ate	0.21	ND	ND	Q3
β-Pinene	0.41	2.75	0.275	Q3	Guaiol	0.21	ND	ND	Q3
Farnesene	0.03		0.111	Q3	Isoborneol	2.07	ND	ND	Q3
Camphene	0.21	1.04	0.104	Q3	Isopulegol	0.21	ND	ND	Q3
cis-Ocimene	0.06	0.33	0.033	Q3	Menthol	0.21	ND	ND	Q3
α-Bisabolol	0.21	0.31	0.031	Q3	Nerol	0.21	ND	ND	Q3
3-Carene	0.41	ND	ND	Q3	Pulegone	0.21	ND	ND	Q3
α-Cedrene	0.21	ND	ND	Q3	p-Cymene	0.21	ND	ND	Q3
α-Phellandrene	0.21	ND	ND	Q3	Sabinene	0.21	ND	ND	Q3
α-Terpinene	0.21	ND	ND	Q3	Sabinene Hydrate	0.21	ND	ND	Q3
β-Eudesmol	0.21	ND	ND	Q3	Terpinolene 🤍	0.41	<loq< td=""><td>•</td><td>Q3</td></loq<>	•	Q3
Borneol	0.62	•	<loq< td=""><td>Q3</td><td>trans-Nerolidol</td><td>0.21</td><td>ND</td><td>ND</td><td>Q3</td></loq<>	Q3	trans-Nerolidol	0.21	ND	ND	Q3
Camphor	0.83	ND	ND	Q3	trans-Ocimene	0.14	ND	ND	Q3
Caryophyllene	0.21	ND	ND	Q3	Valencene	0.21	ND	ND	Q3
Oxide									
Cedrol	0.21	ND	ND	Q3					



Primary Aromas



Qualifiers: Date Tested: 04/13/2023 07:00 am

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Qualifying code Q3: For informational purposes only.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

http://www.levelonelabs.com Lic# 00000004LCIG00024823

Matthew Schuberth

Confident LIMS All Rights Reserved coa.support@confidentlims.com



Laboratory Manager

coa.su

coa.support@confid (86

(866) 506-5866 Co www.confidentlims.com

6 confident



Powered by Confident LIMS 3 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #00000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624

Residual Solvents

Analyte 00 Mass Status Qualifier Limit PPM PPM PPM Pass Acetone 364.848 1000.000 ND 148.313 410.000 ND Acetonitrile Pass R1 Benzene 0.726 2.000 ND Pass 2427.475 5000.000 ND Butanes Pass Chloroform 21.847 60.000 ND Pass Dichloromethane 600.000 ND Pass Ethanol 1810.202 5000.000 ND Pass **Ethyl-Acetate** ND 1811.919 5000.000 Pass Ethyl-Ether 1804.848 5000.000 ND Pass Heptane 1807.475 5000.000 ND Pass ND Hexanes 104.192 290.000 Pass 1801.717 5000.000 ND Pass Isopropanol Isopropyl-Acetate 1805.051 5000.000 ND Pass Methanol 1080.202 3000.000 ND Pass Pentanes 1816.768 5000.000 ND Pass Toluene 325.091 890.000 ND Pass **Xylenes** 778.909 2170.000 ND Pass



Date Tested: 04/12/2023 07:00 am

Performed by GCMS-HS per SOP-LM-014. Methods used per AZDHS R9-17-404.03 and solvent limits set by AZDHS R9-17 Table 3.1. ADHS approved method for residual solvents by GCMS-HS for all listed analytes.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520

Alle Str.

except in full, without the written approval of Level One Labs. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child. Updated expiration NC 5/8/24. All previous versions of this report are void.

Confident LIMS All Rights Reserved



http://www.levelonelabs.com Lic#0000004LCIG00024823 This product has been tested by Level One Labs, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Level One Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced

Matthew Schuberth Laboratory Manager coa.support@confidentlims.com (866) 506-5866

www.confidentlims.com



Pass





Powered by Confident LIMS 4 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #0000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624





Pass

Pesticides

Analyte	LOQ	Limit	Units	Status	Qualifier	Analyte	LOQ	Limit	Units	Status	Qualifier
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.030	0.500	ND	Pass	M1	Hexythiazox	0.040	1.000	ND	Pass	
Acephate	0.040	0.400	ND	Pass		I <mark>m</mark> azalil	0.040	0.200	ND	Pass	
Acetamiprid	0.040	0.200	ND	Pass		I <mark>m</mark> idacloprid	0.040	0.400	ND	Pass	
Aldicarb	0.040	0.400	ND	Pass		K <mark>r</mark> esoxim Methyl	0.040	0.400	ND	Pass	
Azoxystrobin	0.050	0.200	ND	Pass		Malathion	0.040	0.200	ND	Pass	
Bifenazate	0.040	0.200	ND	Pass		Metalaxyl	0.040	0.200	ND	Pass	
Bifenthrin	0.040	0.200	ND	Pass	M2	Methiocarb	0.040	0.200	ND	Pass	
Boscalid	0.040	0.400	ND	Pass		M <mark>e</mark> thomyl	0.040	0.400	ND	Pass	
Carbaryl	0.040	0.200	ND	Pass		Myclobutanil	0.040	0.200	ND	Pass	
Carbofuran	0.040	0.200	ND	Pass		Naled	0.040	0.500	ND	Pass	
Chlorantraniliprole	0.040	0.200	ND	Pass		Oxamyl	0.040	1.000	ND	Pass	
Chlorfenapyr	0.440	1.000	ND	Pass	M1	Paclobutrazol	0.040	0.400	ND	Pass	
Chlorpyrifos	0.040	0.200	ND	Pass		Permethrins	0.040	0.200	ND	Pass	M1 V1
Clofentezine	0.040	0.200	ND	Pass	M1	Phosmet	0.040	0.200	ND	Pass	
Cyfluthrin	0.440	1.000	ND	Pass		Piperonyl Butoxide	0.040	2.000	0.071	Pass	
Cypermethrin	0.040	1.000	ND	Pass		Prallethrin	0.040	0.200	ND	Pass	M1
Daminozide	0.440	1.000	ND	Pass		Propiconazole	0.040	0.400	ND	Pass	M1
Dichlorvos (DDVP)	0.040	0.100	ND	Pass		Propoxur	0.040	0.200	ND	Pass	
Diazinon	0.040	0.200	ND	Pass	M1	Pyrethrins	0.440	1.000	ND	Pass	L1 M1
Dimethoate	0.040	0.200	ND	Pass		Pyridaben	0.040	0.200	ND	Pass	M1
Ethoprophos	0.040	0.200	ND	Pass		Spinosad	0.040	0.200	ND	Pass	L1 M1
Etofenprox	0.040	0.400	ND	Pass	M2	Spiromesifen	0.040	0.200	0.099	Pass	M1
Etoxazole	0.040	0.200	ND	Pass	M1	Spirotetramat	0.040	0.200	ND	Pass	
Fenoxycarb	0.040	0.200	ND	Pass		Spiroxamine	0.040	0.400	ND	Pass	
Fenpyroximate	0.040	0.400	ND	Pass	M1	Tebuconazole	0.040	0.400	ND	Pass	
Fipronil	0.040	0.400	ND	Pass	M1	Thiacloprid	0.040	0.200	ND	Pass	
Flonicamid	0.040	1.000	ND	Pass		Thiamethoxam	0.040	0.200	ND	Pass	
Fludioxonil	0.040	0.400	ND	Pass		Trifloxystrobin	0.040	0.200	ND	Pass	M1



Qualifiers:

Performed by LCMSMS per SOP-LM-021 and SOP-LM-022. ND = Not Detected; NR = Not Reported. Methods used per AZDHS R9-17-404.03 and pesticide limits set by AZDHS R9-17 Table 3.1. ADHS approved method for pesticide testing by LCMSMS for full list effective 5/1/2021.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520

Alter Str.

Confident LIMS All Rights Reserved coa.support@confidentlims.com



http://www.levelonelabs.com Lic#0000004LCIG00024823

Matthew Schuberth Laboratory Manager

(866) 506-5866 www.confidentlims.com



Powered by Confident LIMS 5 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #0000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624



Mycotoxins

Pass

Total Ochratoxins Date Tested: 04/13/2023 Total Aflatoxins Date Tested: 04/13/2023

Analyte	LOQ	Limit	Units	Status	Qualifier
	µg/kg	µg/kg	µg/kg		
Total Aflatoxins (B1 B2 G1 and G2)	4.00	20.00	ND	Pass	
Total Ochratoxins (A and B)	2.00	20.00	2.81	Pass	

TNTC on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: direct ELISA produced by Romer Labs and read on Bio-Tek 800TS microplate reader. Procedure followed SOP-LM-018. Methods used per AZDHS R9-17-404.03 and R9-17-404.04 and limits set by AZDHS R9-17 Table 3.1. ADHS approved method.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520

http://www.levelonelabs.com Lic#0000004LCIG00024823 Matthew Schuberth

Atta &

Confident LIMS All Rights Reserved coa.support@confidentlims.com



Laboratory Manager

(866) 506-5866





Powered by Confident LIMS 6 of 7

Releaf Brands

Sample: 2304LVL0379.2287 Secondary License: ; Chain of Distribution:

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #00000081DCPK00962019

Red Runtz 146C

Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624



Pass

Microbials

Analyte Result **Result Units** Status Qualifier E. Coli <10 CFU/G Pass Salmonella Not Detected in one gram Pass Aspergillus terreus NT NR in one gram Aspergillus fumigatus, Aspergillus flavus, and Not Detected in one gram Pass Aspergillus niger

Qualifiers: Date Tested: 04/13/2023 12:00 am

TNTC = Too Numerous to Count. The lower limit of quantification for E. coli is 10 CFU/g unless noted on the CoA by further dilution. Unless otherwise stated all quality control samples performed within specifications. Analysis Method/Instrumentation: E. coli plating via 3M Petrifilm per SOP-LM-019, Salmonella spp. And Aspergillus spp. detection by Bio-Rad CFX96 Deep Well real-time PCR per SOP-LM-016 & SOP-LM-017. Methods used per AZDHS R9-17-404.04 and microbial limits set by AZDHS R9-17 Table 3.1. ADHS approved method for microbials for all listed organisms.



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520 http://www.levelonelabs.com

Lic# 0000004LCIG00024823

Matthew Schuberth

Confident LIMS All Rights Reserved coa.support@confidentlims.com



Laboratory Manager



Powered by Confident LIMS 7 of 7

Sample: 2304LVL0379.2287

Strain: Red Runtz 146C; Batch Size: 11g; External Batch ID: 146C

Sampling Date: 04/05/2023; Sampling Time: ; Sampling Person:

Harvest Date: ; Manufacturing Date: ; External Lot ID: 00213

Sample Received: 04/12/2023; Report Created: 05/08/2024; Report Expiration: 05/08/2025

Secondary License: ; Chain of Distribution:

Releaf Brands

8060 E 22nd St Tucson, AZ 85710 hannatempesta@gmail.com (650) 678-4037 Lic. #0000081DCPK00962019

Red Runtz 146C


Concentrates & Extracts, Batter/Badder, Ice/Water Using Marijuana During Pregnancy could cause birth defects or other health issues to your unborn child.

Distribution Chain/Intended Sale: Medmar Tanque Verde LLC, Desert Bloom Re-leaf Center, Releaf85624



Pass

Heavy Metals



LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Subcontracted through IAS. Approved for all analytes by ICP-OES. Inter Ag Services Inc. Registration Certificate Identification Number: 0000009LCSL00311854



1525 N Granite Reef Rd Scottsdale, AZ (480) 867-1520

Confident LIMS All Rights Reserved



http://www.levelonelabs.com Lic#0000004LCIG00024823

Matthew Schuberth Laboratory Manager coa.support@confidentlims.com (866) 506-5866

